

Coloured T8 F36W/RED 0002573



Product features

- Coloured T8



PRODUCT OVERVIEW

Product name	F36W/RED
Technology	Fluorescent
Lamp shape	Tubular shape
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	SPG
ETIM Class	EC000108
E-number SE	8356733
Luminous flux (lm)	70
Light colour	Red
Wattage (W)	36.00
Dimmable	Yes
Dimming method	Mains: leading / trailing edge
Average life (Nominal) (h)	8000
Product EAN number	5410288025735

DATA TABLE

General data

Product name	F36W/RED
Technology	Fluorescent
Lamp shape	Tubular shape
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	SPG
ETIM Class	EC000108
E-number SE	8356733

Coloured T8 F36W/RED 0002573

Optical data

Luminous flux (lm)	70
Ambient temperature for maximum luminous flux (°C)	25
Light colour	Red
Adjustable chromaticity	N

Electrical data

Wattage (W)	36.00
Current (A)	0.430
Primary Supply/Product voltage - min (V)	93.0
Primary Supply/Product voltage - max (V)	113.0
Control gear required	Yes
Dimmable	Yes
Dimming method	Mains: leading / trailing edge
Drive current (mA)	430

Lifetime data

Average life (Nominal) (h)	8000
Average life (Rated) (h)	8000

Physical data

Nominal Product Length (mm)	1200.0
Nominal Product Diameter (mm)	26
Max. Length base to base (mm) - A	1199.4
Length base to pin Min-Max (mm) - B	1204.1-1206.5
Max. Lamp Length (mm) - C/L	1213.6
Max. Lamp Diameter (mm) - D	28.0
Weight (kg)	0.159

Packaging

Product EAN number	5410288025735
Packaging single length / height (cm)	121.4
Packaging single width (cm)	2.9
Packaging single depth (cm)	2.8
DUN14 (outer)	15410288025732
Units per outer package	25
Packaging outer length / height (cm)	124.0
Packaging outer width (cm)	15.5
Packaging outer depth (cm)	15.0

Safety data

Lamp mercury content (mg)	2.80
Breakage cleaning instructions	Applicable
Special purpose lamp	Yes
Suitable for household illumination	Yes

Coloured T8
F36W/RED
0002573

TECHNICAL DRAWINGS

