

VFEPG1-FLX -300-830

VALUE Flex IP Eco - discontinued | Linear LED modules for flexible and individualized lighting solutions



Areas of application

- Wet or damp areas
- Path lighting
- Architecture lighting
- Wall integration

Product family benefits

- Easy mounting on many smooth surfaces thanks to self-adhesive tape at the back
- Lighter, slimer and brighter compared to predecessor thanks to lower profile

Product family features

- Type of protection: IP66
- Self-cooling
- Luminous flux: up to 290 lm/m
- Low profile: 4 mm
- High color consistency: 4 SDCM
- Multi-cutable LED strip
- Matches with SLIMCONNECT system FLEX IP54
- Type of protection: IP54 (when connected with SLIMCONNECT system FLEX IP54)
- Protection against water according to IP66



Product datasheet

Technical data


Electrical data

Nominal voltage	24.0 V
Type of current	DC
Rated wattage	25.20 W
Input voltage range	23...25 V
Accidental reverse input voltage protection up to	25 V

Photometrical data

Light color LED	White
Color rendering index Ra	>80
Light color (designation)	Warm White

Dimensions & weight



Length	6051 mm
Product weight	360.00 g
Width	11.0 mm
Height	4.00 mm

Capabilities

Dimmable	Yes
----------	-----

Certificates & standards

Standards	CE
-----------	----

Logistical data




Commodity code	940540399000
----------------	--------------

Product datasheet

Equipment / Accessories

- Value Flex Track IP
- SLIMCONNECT system FLEX IP54 connector

Download Data

File	
	Addon Technical Information 685729_Binning sheet - VFEPG1
	Product Datasheet 350958_Value Flex Eco IP Preliminary Datasheet
	Eulumdat 662700_ValueFlexECOIP3000K_IESNA2002

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899084971	VFEPG1-FLX -300-830	Shipping carton box 8	357 mm x 354 mm x 233 mm	29.45 dm ³	4727.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.